

Grape colaspis identification in Louisiana rice

Part 1 of 3

Natalie Hummel, Ph.D.

nhummel@agcenter.lsu.edu

Rice Extension Entomologist

LSU AgCenter



**LSU AgCenter Rice Training Session: How to
Scout for Grape Colaspis in Rice**

May 28, 2009

LSU AgCenter Rice Research Station
Crowley, La

Situation this season

- Crowley, La
 - May 9, 2009
 - CL151 – more than 70% stand loss
 - Rice drilled into no-till soybean stubble
 - May 15, 2009
 - Neptune with Dermacor X-100 – 10-20 % stand loss
 - Soybean field plowed and leveled in fall
 - Drilled rice into stale seedbed
- Swords, La
 - May 20, 2009
 - Hybrid rice – up to 50% stand loss
 - Rice drilled into no-till soybean stubble – followed late R6 soybeans
- Crowley, La
 - May 21, 2009
 - CL745 – estimated stand loss → possibly 10-20%, waiting for crop to progress
 - Rice drilled into no-till soybean stubble
 - 07 – wheat, 08 - beans, 09 - rice



*Lifecycle of
grape colaspis
in rice*



CL151 – Crowley, La

–May 9, 2009

- CL151 – more than 70% stand loss in spots
- Rice drilled into no-till soybean stubble













Crowley, La



May 15, 2009

Neptune with Dermacor
X-100 – 10-20 % stand
loss

Soybean field plowed and
leveled in fall

Drilled rice into stale
seedbed



Swords, La

—May 20, 2009

- Hybrid rice — up to 50% stand loss
- Rice drilled into no-till soybean stubble
 - Late R6 soybeans







